



A UML Profile for DIA

Abel Gómez, José Merseguer
University of Zaragoza, Spain

Elisabetta di Nitto, Damian A. Tamburri
Politecnico di Milano, Italy

DICE

Horizon 2020 Research & Innovation Action

Grant Agreement no. 644869

<http://www.dice-h2020.eu>



Funded by the Horizon 2020
Framework Programme of the European Union

Motivation (1)



- We need a DSML (Domain Specific Modelling Language)
- What is a DSML?
 - DSML vs. General purpose Modelling Languages

Motivation (2)



- Why do you need a DSML?
 - Because we want to *analyse system properties* using the very same models
 - Which kind of systems?
 - Which kind of properties?
 - Which kind of questions?



- Does not such DSML exist?
 - No. But there are works that can help us
 - MARTE (Modeling and Analysis of Real Time and Embedded systems) —> Performance and Schedulability
 - DAM (Dependability Analysis and Modeling) —> Reliability, Availability, Maintainability and Safety



- Which kind of DSML are MARTE and DAM?
 - Lots of literature discussing pros/cons between Profiles and DSML from scratch



- DICE Profile

- *A UML Profile for the qualitative and quantitative assessment of DIA that leverage Big data technologies and it inherits/reuses MARTE and DAM*



- How to fit the DICE Profile in the DICE framework?
 - DICE follows MDA and it adapts to Big Data technologies
 - DPIM (DICE Platform Independent Model)
 - DTSM (DICE Technology Specific Model)
 - DDSM (DICE Deployment Specific Model)

How do we construct the DICE Profile?




- 1. Conceptual models for each abstraction level
- 2. Introduce concepts for quality assessment —> Fitting them in the previous domain model
- 3. Follow technical advise on Profile construction [7,10]
- 4. We conducted profile assessment using our partners case studies
 - fraud detection, acquisition of news from social sensors, vessel traffic management

1st step:



- 1.1. Abstract models for modelling DIA —> DPIM
- 1.2. Reviewed different Big Data technologies and defined abstractions —> DTSM
- 1.3. Reviewed metamodels for deployment (e.g., ModacLOUDS) —> DDSM (on going work)

Step 1.1. DPIM meta-models




2nd step: Introduced concepts for quality assessment




- DPIM domain model is for representing architectural views
- Lacks capabilities for defining QoS and behavioral properties
 - MARTE and DAM
- What we did?
 - We combined the DPIM domain model with MARTE and DAM domain models
- We got a complete design view: architectural and behavioural


3rd step: Technical solution (1)



3rd step: Technical solution (2)




3rd step: Technical solution (3)






4th step: Application of the DICE Profile



Zoom on the Diagram







- The DICE Profile is being integrated into Papyrus modeller
- Publicly available in GitHub (both: definition and implementation)
 - <https://github.com/dice-project/DICE-Profiles>
- Pending
 - DTSM level: address more Big Data technologies
 - DDSM level
 - Application to other case studies





4th step: Application of the DICE Profile






3rd step: Technical solution (3)







Step 1.1. DPIM meta-models

